

CONTENTS

	Page
THAI ABSTRACT.....	iv
ENGLISH ABSTRACT.....	v
ACKNOWLEDGEMENTS.....	vi
CONTENTS.....	vii
LIST OF TABLES.....	x
LIST OF FIGURES.....	xii
ABBREVIATIONS.....	xv
CHAPTER I INTRODUCTION.....	1
1.1 Overview of the study.....	1
1.2 Objective of the study.....	3
1.3 Hypothesis of the study.....	4
1.4 Scope of the study.....	4
1.5 Conceptual framework of the study.....	7
1.6 Thesis outline.....	8
CHAPTER II LITERATURE REVIEW.....	9
2.1 Samut Songkhram province and Don Hoi Lord.....	9
2.1.1 Samut Songkhram province.....	9
2.1.2 Don Hoi Lord.....	11
2.2 Razor clam.....	15
2.2.1 General characteristics of razor clam.....	15
2.2.2 Distribution of razor clam.....	16
2.2.3 Razor clam feeding behavior.....	16
2.2.4 Razor clam reproduction.....	16
2.2.5 Razor clam harvesting methods.....	17
2.3 Overview research on razor clam and Don Hoi Lord.....	18
2.4 Ecological modelling.....	22
2.4.1 Methodology to build ecological model.....	24

	Page
2.5 Companion modelling.....	26
2.5.1 Companion modelling: The charter.....	26
2.5.2 Multi-agent systems modelling and role-playing game.....	28
CHAPTER III MATERIAL AND METHODS.....	34
3.1 Secondary data collection.....	34
3.2 Primary data collection.....	34
3.2.1 Site selection.....	34
3.2.2 Razor clam population.....	35
3.2.3 Human activities.....	36
3.3 Data analysis.....	37
3.4 Companion modelling for Don Hoi Lord.....	37
3.4.1 Principle.....	37
3.4.2 Computer simulation model.....	39
3.4.3 Role-playing game.....	40
CHAPTER IV RESULTS AND DISCUSSIONS.....	47
4.1 Study area and location of razor clam population data collection.....	47
4.2 Physical characteristics of study area.....	50
4.3 Razor clam population.....	52
4.3.1 Density of razor clam.....	52
4.3.2 Razor clam weight.....	58
4.3.3 Razor clam size.....	60
4.3.4 Population structure of razor clam.....	61
4.3.5 Relationship between weight and length or razor clam.....	67
4.4 Human activities.....	69
4.4.1 Number of local fisherman.....	69
4.4.2 Fisherman harvesting rate and interval time to catch razor clam.....	70
4.4.3 Razor clam price.....	72
4.4.4 Number of tourist.....	73
4.4.5 Tourist behavior.....	74

	Page
4.5 Multi-agent simulation model construction.....	79
4.5.1 Conceptual model and UML class diagram.....	81
4.5.2 Parameters.....	83
4.5.3 Scenarios.....	88
4.5.4 Results from simulation model run.....	89
4.6 Role-playing game (RPG).....	95
4.6.1 Overviews of the game.....	95
4.6.2 Understanding of the fisherman acting.....	98
4.6.3 Summary of the game.....	102
4.7 Discussion on companion modelling.....	114
CHAPTER V CONCLUSIONS AND RECOMMENDATIONS.....	115
5.1 Razor clam population.....	115
5.2 Fisherman behavior and impact on razor clam resource.....	116
5.3 Management guideline for razor clam conservation from collective discussion.....	116
5.4 Recommendations.....	119
5.4.1 Razor clam conservation and management.....	119
5.4.2 Future study.....	120
REFERENCES.....	121
APPENDICES.....	128
APPENDIX A.....	129
APPENDIX B.....	132
APPENDIX C.....	162
APPENDIX D.....	175
APPENDIX E.....	208
BIOGRAPHY.....	210

LIST OF TABLES

	Page
Table 2.1	Correspondences table between role-playing game and MAS.....30
Table 4.1	Geographical position of each station in Don Hoi Lord represented in UTM datum.....49
Table 4.2	Sequential data collection by monthly.....51
Table 4.3	Density of razor clam in each station in 12 months53
Table 4.4	Statistical analysis of razor clam density.....55
Table 4.5	Comparison of density of razor clam between previous studies and this study.....57
Table 4.6	Mean of razor clam weight by monthly.....58
Table 4.7	Statistical analysis of razor clam weight.....59
Table 4.8	Mean of razor clam weight by monthly.....59
Table 4.9	Statistical analysis of razor clam length.....61
Table 4.10	Number and percentage of razor clam in each size class.....64
Table 4.11	Mean of local fisherman number in the study area.....69
Table 4.12	Number and percentage of general characteristics of tourist75
Table 4.13	Frequency of purpose to visit Don Hoi Lord.....77
Table 4.14	Frequency of tourist behavior on razor clam population.....78
Table 4.15	Don Hoi Lord model parameters.....83
Table 4.16	Harvestable razor clam (kg) in each zone in scenario I in 1 st RPG.....102
Table 4.17	Harvestable razor clam (kg) in each zone in scenario II in 1 st RPG.....103
Table 4.18	Harvestable razor clam (kg) in each zone in scenario III in 1 st RPG.....105
Table 4.19	Harvestable razor clam (kg) in each zone in scenario IV in 1 st RPG.....106
Table 4.20	Harvestable razor clam (kg) in each zone in scenario I in 2 nd RPG.....108

Table 4.21	Harvestable razor clam (kg) in each zone in scenario II in 2 nd RPG.....	109
Table 4.22	Harvestable razor clam (kg) in each zone in scenario III in 2 nd RPG.....	110
Table 4.23	Harvestable razor clam (kg) in each zone in scenario IV in 2 nd RPG.....	111

LIST OF FIGURES

	Page
Figure 1.1	Samut Songkhram province, Central of Thailand.....5
Figure 1.2	Location of Don Hoi Lord in Samut Songkhram province.....6
Figure 1.3	Conceptual framework of the study.....7
Figure 2.1	Area of Don Hoi Lord, Samut Songkhram province.....11
Figure 2.2	Razor clam (<i>Solen regularis</i> Dunker, 1862).....15
Figure 2.3	Dipping lime method which is widely used and legalized in razor clam harvesting.....18
Figure 2.4	Overview of modelling approach.....23
Figure 2.5	Methodology to build an ecological model.....25
Figure 2.6	Multi-agent systems general organization and principles.....29
Figure 2.7	Linkage between the reality and interactive tools in the companion modelling approach.....31
Figure 3.1	The sand dune study site of this study.....35
Figure 3.2	Quadrat size 1 m ² which designed for razor clam collection.....36
Figure 3.3	General principle of Don Hoi Lord companion modelling.....39
Figure 3.4	Three modules of Cormas platform.....40
Figure 3.5	Overview of Don Hoi Lord role-playing game.....41
Figure 3.6	Map of study area and name of each zone in player sheets.....42
Figure 3.7	Decision table in player sheets.....42
Figure 3.8	Account table in player sheets.....43
Figure 3.9	Total harvestable razor clam board.....44
Figure 3.10	Interface of simulation model for RPG.....44
Figure 3.11	Step of the Don Hoi Lord role-playing game.....45
Figure 4.1	Study area in Don Hoi Lord and Prince Chumporn Khedudomsak Memorial.....47
Figure 4.2	Study area with 4 line transects including 27 stations of razor clam population data collection.....48
Figure 4.3	Mean of razor clam density in this study.....52

Figure 4.4	Comparison of mean density of razor clam from previous studies to this study.....	56
Figure 4.5	Mean of razor clam weight in this study.....	58
Figure 4.6	Mean of razor clam size in this study.....	60
Figure 4.7	Total population structure of razor clam in percentage scale.....	62
Figure 4.8	Total population structure of razor clam in number scale.....	63
Figure 4.9	Length-weight relationship of razor clam in this study.....	67
Figure 4.10	Mean of number of local fisherman in study area in each month.....	69
Figure 4.11	Fisherman harvesting rate and interval time to catch razor clam.....	70
Figure 4.12	Dynamics of razor clam price in one year from 6 local fishermen.....	72
Figure 4.13	Mean of tourist number on the study sand dune and duration of sand dune exposure.....	73
Figure 4.14	Overview of multi-agent simulation model construction.....	80
Figure 4.15	Conceptual model for model construction.....	81
Figure 4.16	UML class diagram of Don Hoi Lord model.....	82
Figure 4.17	Sequential diagram of Don Hoi Lord model.....	82
Figure 4.18	Overall flowchart of Don Hoi Lord Model.....	85
Figure 4.19	Flow chart of local fisherman activity.....	86
Figure 4.20	Density of razor clam from selected parameter.....	88
Figure 4.21	Multi-agent simulation interface represented the gain size in the model.....	90
Figure 4.22	Simulation run in density of razor clam in generate reserve scenario with difference local fisherman number.....	91
Figure 4.23	Simulation run in density of razor clam in no generate reserve scenario with difference local fisherman number.....	91
Figure 4.24	Simulation run in harvesting rate of local fisherman in generate reserve scenario with difference number of local fisherman.....	92
Figure 4.25	Simulation run in harvesting rate of local fisherman in no generate reserve scenario with difference number of local fisherman.....	92
Figure 4.26	Interface of simulation model for RPG.....	96
Figure 4.27	Discussion process among local fisherman.....	100

Figure 4.28	Discussion process between local fisherman and researcher regarding razor clam management and conservation in 1 st RPG.....	101
Figure 4.29	Discussion process between local fisherman and researcher regarding razor clam management and conservation in 2 st RPG.....	101
Figure 4.30	Harvestable razor clam in each zone in scenario I in 1 st RPG.....	102
Figure 4.31	Harvestable razor clam in each zone in scenario II in 1 st RPG.....	103
Figure 4.32	Harvestable razor clam in each zone in scenario III in 1 st RPG.....	104
Figure 4.33	Harvestable razor clam in each zone in scenario IV in 1 st RPG.....	106
Figure 4.34	Harvestable razor clam in each zone in scenario I in 2 nd RPG.....	107
Figure 4.35	Harvestable razor clam in each zone in scenario II in 2 nd RPG.....	108
Figure 4.36	Harvestable razor clam in each zone in scenario III in 2 nd RPG.....	110
Figure 4.37	Harvestable razor clam in each zone in scenario IV in 2 nd RPG.....	111
Figure 5.1	Razor clam management and conservation guideline from collective discussion.....	117

ABBREVIATIONS

MAS	=	Multi-agent systems
LWR	=	Length and weight relationship
RPG	=	Role-playing game
PKMC	=	Prince Chumporn Khedudomsak Memoria
TAO	=	Tambon Administrative Organization